

产品规格书

伸缩编织网管系列 (Weaving mesh Tubing Series)

客户:	品名 伸缩编织网管 (各色)					
名称: <u>产品规格书</u>	承 认	商 標	照 查	解 釋	作 成	李

品名 伸缩编织网管 (各色)

客户

	日 期	版本号
制 定	2013-8-12	GH-SJ-20130812
修 改		
修 改		

上海高昊配线器材有限公司

地址:上海市青浦区新胜路 238 号 7 幢

Add: Building 7, Xinsheng RD 238, Qingpu Dist, Shanghai City, P.R. China.

Tel: 021-59788045 Fax: 021-59788053

Http: ①shgaoi.1688.com ②www.gaohaocn.com

产品规格书

伸缩编织网管系列 (Weaving mesh Tubing Series)

产品交货规格书

1. 适用范围

本规格书，适用于向_____有限公司提供的，由上海高昊配线器材有限公司制造的，有关伸缩编织网管的各项规定。

2. 性质

主成分：聚酯材料 PET (polyester)

3. 品质规格

请参照套管尺寸规格表

4. 检查成绩书的提交

根据_____有限公司的相应要求来提供。

5. 检查方法

按照品质规格，测出其内径和丝的直径。

内径测定工具：内径测量计

肉厚测定工具：数码游标尺

6. 包装

参照附件按规定的长度用卷轴缠绕，装箱

7. 表示

按照本公司规定的标签来表示品名，批次，规格，长度，使用材料名。

8. 贮藏方法

因本产品有吸湿性，请在阴暗干燥处放置保管。堆放时请在 5 卷以下堆放。

9. 规格书的修改

关于本规格书的修改，在其一方的提出下，双方应共同协商修改。

10. 其它

本规格书一式两份，1 部分请确认后在签字栏里盖章反馈过来。

产品规格书

伸缩编织网管系列 (Weaving mesh Tubing Series)



伸缩编织套管采用环保 PET 丝精编而成, 具有良好的伸缩性, 阻燃性, 耐磨性及隔热性. 产品表面光滑, 色泽鲜艳, 花样繁多. 产品广泛应用于电脑电源线, 音响视频线, 汽车, 航空, 电线电缆等行业, 起保护及美化作用. 另可根据客户要求订做各种颜色, 各式花样及 UV 荧光色.

PET Weaving mesh tube is sleeved by the ROHS polyester silk knitting. It has a good scalability, flame retardant, wear resistance and thermal insulation. Product surface are smooth, brightly-colored, great variety. Products are widely used in computer power cord, audio-video, automotive, aviation, wire and cable industries, It has protect and beautify the role. Others can be customized according to customer demands including a variety of colors, patterns and all kinds of UV fluorescence color.

- ①材 质 (Materials) : 环保无毒的 PET 材料 polyester
- ②用 途 (Uses) : 电脑线等线材的保护和束紧 (computer lines, and the protection of wire and tightening up)
- ③特 征 (Feature): 柔软度极佳, 易于弯曲, 可松可紧, 易于操作, 良好的伸缩性, 弹力性及耐磨性。
(excellent flexibility, easy bending, simplify operation, good scalability, resilience and abrasion resistance.)
- ④防火等级 (Fire rating): VW-1
- ⑤正常温度 (Nominal temperature): $-50^{\circ}\text{C} \sim +150^{\circ}\text{C} \pm 5^{\circ}\text{C}$
- ⑥熔 点 (Melting point): $230^{\circ}\text{C} \pm 5^{\circ}\text{C}$
- ⑦产品认证 (Product certification): UL、RoHS、REACH、无卤。

附表一

规格 (Specifications):



丝线规格 (锭数*单丝/丝径 ± 0.02 -目数)

型号 Part No.	实际宽度	英寸	正常伸缩范围	丝线规格 Silk thread specification	包装 Packing M/REEL
	W/Size mm	Inch	Nominal Telescopic mm		

产品规格书

伸缩编织网管系列 (Weaving mesh Tubing Series)

020	2±2	1/12	(1-4) ±1	24*1/0.20± 0.02-14	1000
030	3±2	1/8	(1-6) ±1	24*1/0.25± 0.02-14	1000
040	3±2	1/8	(1-6) ±1	32*1/0.20± 0.02-14	1000
050	3±2	1/8	(1-6) ±1	32*1/0.25± 0.02-14	1000
060	6±2	1/4	(3-9) ±1	24*3/0.20± 0.02-10	500
061	6±2	1/4	(3-9) ±1	24*3/0.25± 0.02-10	350
062	6±2	1/4	(3-9) ±1	40*1/0.20± 0.02-12	1000
063	6±2	1/4	(3-9) ±1	40*1/0.25± 0.02-14	800
064	6±2	1/4	(3-9) ±1	32*3/0.20± 0.02-10	500
065	6±2	1/4	(3-9) ±1	48*1/0.20± 0.02-12	1000
066	6±2	1/4	(3-9) ±1	48*1/0.25± 0.02-12	800
067	6±2	1/4	(3-9) ±1	56*1/0.20± 0.02-13	1000
068	6±2	1/4	(3-9) ±1	64*1/0.20± 0.02-13	600
080	8±2	5/16	(5-16) ±2	56*1/0.25± 0.02-12	700
081	8±2	5/16	(5-16) ±2	72*1/0.20± 0.02-12	600
082	8±2	5/16	(5-16) ±2	32*3/0.25± 0.02-8	350
083	8±2	5/16	(5-16) ±2	40*3/0.20± 0.02-8	500
100	10±2	3/8	(7-19) ±2	72*1/0.25± 0.02-12	500
101	10±2	3/8	(7-19) ±2	96*1/0.20± 0.02-12	500
102	10±2	3/8	(7-19) ±2	64*2/0.20± 0.02-12	500
103	10±2	3/8	(7-19) ±2	40*3/0.25± 0.02-8	350
104	10±2	3/8	(7-19) ±2	48*3/0.20± 0.02-8	500
120	12±2	1/2	(8-24) ±2	96*1/0.25± 0.02-12	500
130	12±2	1/2	(8-24) ±2	56*3/0.20± 0.02-8	300
140	14±2	1/2	(8-24) ±2	48*3/0.25± 0.02-8	300
150	16±2	5/8	(10-27) ±2	56*3/0.25± 0.02-8	250
160	16±2	5/8	(10-27) ±2	64*3/0.20± 0.02-8	300
190	19±2	3/4	(14-30) ±2	64*3/0.25± 0.02-8	200

产品规格书

伸缩编织网管系列 (Weaving mesh Tubing Series)

200	20±2	3/4	(14-30) ±3	72*3/0.20± 0.02-8	300
250	25±5	1	(18-35) ±3	72*3/0.25± 0.02-8	200
260	25±5	1	(18-35) ±3	96*3/0.20± 0.02-8	150
320	32±5	1-1/4	(20-50) ±3	96*3/0.25± 0.02-7	150
330	32±5	1-1/4	(20-50) ±3	120*3/0.20± 0.02-8	150
380	38±5	1-1/2	(30-60) ±3	96*4/0.25± 0.02-6	100
381	38±5	1-1/2	(30-60) ±3	120*3/0.25± 0.02-8	150
382	38±5	1-1/2	(30-60) ±3	120*4/0.20± 0.02-9	150
400	40±5	1-1/2	(30-60) ±3	120*4/0.25± 0.02-7	150

附表三

现品管理票

制 造	年 月 日	使 用 材 料	
规 格			
寸 法		操 作	检 查
长 度	M		

上海高昊配线器材有限公司

www.gaohaocn.com